ELSEVIER

Environmental and Experimental Botany 39 (1998) 279

Environmental and Experimental Botany

Author index of volume 39

Armstrong, R.A. **39**, 263

Balakhnina, T.I. **39**, 203
Barták, M. **39**, 85
Bednarz, C.W. **39**, 131
Bennicelli, R.P. **39**, 203
Bilkova, J. **39**, 247
Bogle, A.L. **39**, 247
Brix, H. **39**, 141
Burke, M.K. **39**, 105

Chettri, M.K. **39**, 1
Cook, C.M. **39**, 1

DeLong, J.M. **39**, 177
Diamantoglou, S. **39**, 21
Dodd, I.C. **39**, 41
Doley, D. **39**, 41

Esch, A. **39**, 57
Evans, R.D. **39**, 131

Filella, I. **39**, 213

Guo, X. **39**, 159

Harivandi, M.A. **39**, 159
Henriques, F.S. **39**, 197
Hiraoka, A. **39**, 97
Hodges, H.F. **39**, 117
Hofer, C.J. **39**, 189

Impens, I. **39**, 85

Johnson, J.D. **39**, 233

Karapanagiotis, N. **39**, 49
Kondoh, K. **39**, 97
Koshiba, T. **39**, 97

Lanaras, T. **39**, 1
Lidon, F.C. **39**, 197
Lipiec, J. **39**, 203
Liu, X.J. **39**, 117
Llusià, J. **39**, 213
Lorenzen, B. **39**, 141

Madsen, T.V. **39**, 141
Mahan, J.R. **39**, 67
Mallick, N. **39**, 221
Ma, T.-H. **39**, 169
McKinion, J.M. **39**, 117
McMichael, B.L. **39**, 11
Meletiou-Christou, M.S. **39**, 21
Mengel, K. **39**, 57
Michelozzi, M. **39**, 233
Moss, D.M. **39**, 247
Murray, F. **39**, 33

Nijs, I. **39**, 85

Oliver, M.J. **39**, 67
Oosterhuis, D.M. **39**, 131

Papaefthymiou, E. **39**, 49
Papageorgakopoulou, N. **39**, 49
P. Banilas, G. **39**, 21
Peñuelas, J. **39**, 213
Piñol, J. **39**, 213

Qiao, Z. **39**, 33

Rai, L.C. **39**, 221
Rai, P.K. **39**, 221
Raschi, A. **39**, 233
Raynal, D.J. **39**, 105
Reddy, K.R. **39**, 117
Robana, R.R. **39**, 117
Rock, B.N. **39**, 247

Satô, M. **39**, 97
Sawidis, T. **39**, 1
Schierup, H.-H. **39**, 141
Sherman, T.D. **39**, 67
Smith, S.N. **39**, 263
Sobrino Vesperinas, E. **39**, 271
Sosebee, R.E. **39**, 11
Steffen, K.L. **39**, 177
Stępniewska, Z. **39**, 203
Stępniewski, W. **39**, 203

Tognetti, R. **39**, 233
Topalidou, D. **39**, 49
Tsiganos, C.P. **39**, 49
Tyagi, B. **39**, 221

Vardaka, E. **39**, 1

Wan, C. **39**, 11
Wu, L. **39**, 159

Xu, Z. **39**, 169

Yoder, J.I. **39**, 77

Zakrzhevsky, D.A. **39**, 203
Zettler, L.W. **39**, 189

S0098-8472/98/$19.00 © 1998 Elsevier Science B.V. All rights reserved.
PII S0098-8472(98)00029-X

ELSEVIER

Environmental and Experimental Botany 39 (1998) 281–286

Environmental and Experimental Botany

Subject index of volume 39

Acid–alkaline phosphatase; *Hordeum vulgare*; Peptidase; Tritiated water; *Triticum durum*; Zea mays **39**, 49

Acid mist; Carbohydrates; Cuticular transpiration; Epicuticular waxes; Forest decline; *Picea abies*; Turgor; Water potential **39**, 57

Acid phosphatase; Copper toxicity; *Oryza sativa*; Shoot; Vacuole; NADH-cytochrome *c* reductase **39**, 197

Acid rain; Red spruce; Forest decline; Plant anatomy; Tropospheric ozone; *Picea rubens* **39**, 247

Adventitious root; In vitro culture; Sunflower; Helianthus annuus **39**, 271

Alkaline phosphatase; *Anabaena doliolum*; ATPase; Copper; Lead; Nitrate reductase; Nitrogenase; Nutrient uptake; Urease; UV-B irradiation **39**, 221

Allelopathy; *Buchloe dactyloides*; Growth inhibition; Phenolic acid; *Poa annua*; Seedling **39**, 159

Anabaena doliolum; Alkaline phosphatase; ATPase; Copper; Lead; Nitrate reductase; Nitrogenase; Nutrient uptake; Urease; UV-B irradiation **39**, 221

Assimilation; Nitrogen dioxide; Nitrate; Soybean; Uptake **39**, 33

ATPase; *Anabaena doliolum*; Alkaline phosphatase; Copper; Lead; Nitrate reductase; Nitrogenase; Nutrient uptake; Urease; UV-B irradiation **39**, 221

ATPase; *Spinacia oleracea*; Spinach; Radioprotection; Cultured cell; γ-Radiation; PPase; Membrane lipid; Membrane polypeptide; Tonoplast; Vacuolar membrane **39**, 97

Bryophytes; Nitrite; Nitrate induction; *Tortula ruralis*; Nitrate reductase; Desiccation **39**, 67

Buchloe dactyloides; Allelopathy; Growth inhibition; Phenolic acid; *Poa annua*; Seedling **39**, 159

Carbohydrate; Lichen; *Parmelia conspersa*; Lobe growth; Translocation **39**, 263

Carbohydrates; Acid mist; Cuticular transpiration; Epicuticular waxes; Forest decline; *Picea abies*; Turgor; Water potential **39**, 57

Carbohydrates; *Dittrichia viscosa*; Lipids; Nitrogen; *Thymelaea tartonraira* **39**, 21

Carbon; *Gossypium hirsutum*; Isotope; Photosynthesis; Potassium deficiency **39**, 131

Cell wall elasticity; Osmotic adjustment; Hydraulic conductance; Drought acclimation; Woody species; *Gutierrezia sarothrae* **39**, 11

Chlorophyll content; *Cladonia convoluta*; *Cladonia rangiformis*; Lichen; Cu, Zn, and Pb pollution **39**, 1

Chlorophyll fluorescence; Perennial ryegrass; Global changes; Doubled CO_2; Quantum yield of PS II; Q_A reduction; *Lolium perenne* **39**, 85

Cladonia convoluta; Chlorophyll content; *Cladonia rangiformis*; Lichen; Cu, Zn, and Pb pollution **39**, 1

Cladonia rangiformis; Chlorophyll content; *Cladonia convoluta*; Lichen; Cu, Zn, and Pb pollution **39**, 1

Clastogenicity; X-rays; Formaldehyde; *Tradescantia*; Micronucleus **39**, 169

CO_2 enrichment; Temperature; *Gossypium hirsutum*; Growth; Stomata **39**, 117

S0098-8472/98/$19.00 © 1998 Elsevier Science B.V. All rights reserved.

PII S0098-8472(98)00030-6

Conservation; *Platanthera*; *Epulorhiza*; Orchid mycorrhiza; Symbiosis; Micropropagation; Seed germination; Orchidaceae **39**, 189

Controlled environment; Phytotrons; Rhizostats; Mineral nutrition; Phosphate; Nitrogen uptake kinetics; *Juncus effusus*; *Typha latifolia* **39**, 141

Copper; *Anabaena doliolum*; Alkaline phosphatase; ATPase; Lead; Nitrate reductase; Nitrogenase; Nutrient uptake; Urease; UV-B irradiation **39**, 221

Copper toxicity; *Oryza sativa*; Shoot; Vacuole; Acid phosphatase; NADH-cytochrome *c* reductase **39**, 197

Cucumber; Growth analysis; Sulphur dioxide **39**, 41

Cultured cell; *Spinacia oleracea*; Spinach; Radioprotection; γ-Radiation; ATPase; PPase; Membrane lipid; Membrane polypeptide; Tonoplast; Vacuolar membrane **39**, 97

Cuticular transpiration; Acid mist; Carbohydrates; Epicuticular waxes; Forest decline; *Picea abies*; Turgor; Water potential **39**, 57

Cu, Zn, and Pb pollution; Chlorophyll content; *Cladonia convoluta*; *Cladonia rangiformis*; Lichen **39**, 1

Desiccation; Bryophytes; Nitrite; Nitrate induction; *Tortula ruralis*; Nitrate reductase **39**, 67

Dittrichia viscosa; Carbohydrates; Lipids; Nitrogen; *Thymelaea tartonraira* **39**, 21

Doubled CO_2; Perennial ryegrass; Global changes; Chlorophyll fluorescence; Quantum yield of PS II; Q_A reduction; *Lolium perenne* **39**, 85

Drought acclimation; Osmotic adjustment; Cell wall elasticity; Hydraulic conductance; Woody species; *Gutierrezia sarothrae* **39**, 11

Drought; ΔF/F'm; *Phillyrea latifolia*; *Pistacia lentiscus*; Photosynthetic rate; *Quercus ilex*; Stomatal conductance **39**, 213

Elevated CO_2; Gas exchange; Natural CO_2 springs; *Quercus*; Secondary compounds **39**, 233

Epicuticular waxes; Acid mist; Carbohydrates; Cuticular transpiration; Forest decline; *Picea abies*; Turgor; Water potential **39**, 57

Epulorhiza; *Platanthera*; Orchid mycorrhiza; Conservation; Symbiosis; Micropropagation; Seed germination; Orchidaceae **39**, 189

ΔF/F'm; Drought; *Phillyrea latifolia*; *Pistacia lentiscus*; Photosynthetic rate; *Quercus ilex*; Stomatal conductance **39**, 213

Forest decline; Acid mist; Carbohydrates; Cuticular transpiration; Epicuticular waxes; *Picea abies*; Turgor; Water potential **39**, 57

Forest decline; Red spruce; Plant anatomy; Tropospheric ozone; Acid rain; *Picea rubens* **39**, 247

Formaldehyde; Clastogenicity; X-rays; *Tradescantia*; Micronucleus **39**, 169

Gas exchange; Elevated CO_2; Natural CO_2 springs; *Quercus*; Secondary compounds **39**, 233

Global changes; Perennial ryegrass; Doubled CO_2; Chlorophyll fluorescence; Quantum yield of PS II; Q_A reduction; *Lolium perenne* **39**, 85

Gossypium hirsutum; Carbon; Isotope; Photosynthesis; Potassium deficiency **39**, 131

Gossypium hirsutum; CO_2 enrichment; Temperature; Growth; Stomata **39**, 117

Growth analysis; Cucumber; Sulphur dioxide **39**, 41

Growth; CO_2 enrichment; Temperature; *Gossypium hirsutum*; Stomata **39**, 117

Growth inhibition; Allelopathy; *Buchloe dactyloides*; Phenolic acid; *Poa annua*; Seedling **39**, 159

Gutierrezia sarothrae; Osmotic adjustment; Cell wall elasticity; Hydraulic conductance; Drought acclimation; Woody species **39**, 11

Helianthus annuus; Adventitious root; In vitro culture; Sunflower **39**, 271

Hordeum vulgare; Acid–alkaline phosphatase; Peptidase; Tritiated water; *Triticum durum*; Zea mays **39**, 49

Hybridization; Parasitic plant; *Triphysaria*; Self-incompatibility; Scrophulariaceae **39**, 77

Hydraulic conductance; Osmotic adjustment; Cell wall elasticity; Drought acclimation; Woody species; *Gutierrezia sarothrae* **39**, 11

In vitro culture; Adventitious root; Sunflower; Helianthus annuus **39**, 271

Isotope; *Gossypium hirsutum*; Carbon; Photosynthesis; Potassium deficiency **39**, 131

Juncus effusus; Controlled environment; Phytotrons; Rhizostats; Mineral nutrition; Phosphate; Nitrogen uptake kinetics; *Typha latifolia* **39**, 141

Lead; *Anabaena doliolum*; Alkaline phosphatase; ATPase; Copper; Nitrate reductase; Nitrogenase; Nutrient uptake; Urease; UV-B irradiation **39**, 221

Lichen; Chlorophyll content; *Cladonia convoluta*; *Cladonia rangiformis*; Cu, Zn, and Pb pollution **39**, 1

Lichen; *Parmelia conspersa*; Lobe growth; Translocation; Carbohydrate **39**, 263

Liming; Sugar maple; Potassium; Phosphorous; Roots **39**, 105

Lipid peroxidation; *Spinacia oleracea*; UV-B; Thylakoid membranes; α-Tocopherol; Thiobarbituric acid reactive substances **39**, 177

Lipids; Carbohydrates; *Dittrichia viscosa*; Nitrogen; *Thymelaea tartonraira* **39**, 21

Lobe growth; Lichen; *Parmelia conspersa*; Translocation; Carbohydrate **39**, 263

Lolium perenne; Perennial ryegrass; Global changes; Doubled CO_2; Chlorophyll fluorescence; Quantum yield of PS II; Q_A reduction **39**, 85

Malondialdehyde; Soil hypoxia; Soil oxygen indicators; Superoxide dismutase; Stomatal diffusive resistance **39**, 203

Membrane lipid; *Spinacia oleracea*; Spinach; Radioprotection; Cultured cell; γ-Radiation; ATPase; PPase; Membrane polypeptide; Tonoplast; Vacuolar membrane **39**, 97

Membrane polypeptide; *Spinacia oleracea*; Spinach; Radioprotection; Cultured cell; γ-Radiation; ATPase; PPase; Membrane lipid; Tonoplast; Vacuolar membrane **39**, 97

Micronucleus; Clastogenicity; X-rays; Formaldehyde; *Tradescantia* **39**, 169

Micropropagation; *Platanthera*; *Epulorhiza*; Orchid mycorrhiza; Conservation; Symbiosis; Seed germination; Orchidaceae **39**, 189

Mineral nutrition; Controlled environment; Phytotrons; Rhizostats; Phosphate; Nitrogen uptake kinetics; *Juncus effusus*; *Typha latifolia* **39**, 141

NADH-cytochrome *c* reductase; Copper toxicity; *Oryza sativa*; Shoot; Vacuole; Acid phosphatase **39**, 197

Natural CO_2 springs; Elevated CO_2; Gas exchange; *Quercus*; Secondary compounds **39**, 233

Nitrate; Assimilation; Nitrogen dioxide; Soybean; Uptake **39**, 33

Nitrate induction; Bryophytes; Nitrite; *Tortula ruralis*; Nitrate reductase; Desiccation **39**, 67

Nitrate reductase; *Anabaena doliolum*; Alkaline phosphatase; ATPase; Copper; Lead; Nitrogenase; Nutrient uptake; Urease; UV-B irradiation **39**, 221

Nitrate reductase; Bryophytes; Nitrite; Nitrate induction; *Tortula ruralis*; Desiccation **39**, 67

Nitrite; Bryophytes; Nitrate induction; *Tortula ruralis*; Nitrate reductase; Desiccation **39**, 67

Nitrogenase; *Anabaena doliolum*; Alkaline phosphatase; ATPase; Copper; Lead; Nitrate reductase; Nutrient uptake; Urease; UV-B irradiation **39**, 221

Nitrogen; Carbohydrates; *Dittrichia viscosa*; Lipids; *Thymelaea tartonraira* **39**, 21

Nitrogen dioxide; Assimilation; Nitrate; Soybean; Uptake **39**, 33

Nitrogen uptake kinetics; Controlled environment; Phytotrons; Rhizostats; Mineral nutrition; Phosphate; *Juncus effusus*; *Typha latifolia* **39**, 141

Nutrient uptake; *Anabaena doliolum*; Alkaline phosphatase; ATPase; Copper; Lead; Nitrate reductase; Nitrogenase; Urease; UV-B irradiation **39**, 221

Orchidaceae; *Platanthera*; *Epulorhiza*; Orchid mycorrhiza; Conservation; Symbiosis; Micropropagation; Seed germination **39**, 189

Orchid mycorrhiza; *Platanthera*; *Epulorhiza*; Conservation; Symbiosis; Micropropagation; Seed germination; Orchidaceae **39**, 189

Oryza sativa; Copper toxicity; Shoot; Vacuole; Acid phosphatase; NADH-cytochrome *c* reductase **39**, 197

Osmotic adjustment; Cell wall elasticity; Hydraulic conductance; Drought acclimation; Woody species; *Gutierrezia sarothrae* **39**, 11

Parasitic plant; *Triphysaria*; Self-incompatibility; Hybridization; Scrophulariaceae **39**, 77

Parmelia conspersa; Lichen; Lobe growth; Translocation; Carbohydrate **39**, 263

Peptidase; Acid–alkaline phosphatase; *Hordeum vulgare*; Tritiated water; *Triticum durum*; Zea mays **39**, 49

Perennial ryegrass; Global changes; Doubled CO_2; Chlorophyll fluorescence; Quantum yield of PS II; Q_A reduction; *Lolium perenne* **39**, 85

Phenolic acid; Allelopathy; *Buchloe dactyloides*; Growth inhibition; *Poa annua*; Seedling **39**, 159

Phillyrea latifolia; Drought; ΔF/F'm; *Pistacia lentiscus*; Photosynthetic rate; *Quercus ilex*; Stomatal conductance **39**, 213

Phosphate; Controlled environment; Phytotrons; Rhizostats; Mineral nutrition; Nitrogen uptake kinetics; *Juncus effusus*; *Typha latifolia* **39**, 141

Phosphorous; Liming; Sugar maple; Potassium; Roots **39**, 105

Photosynthesis; *Gossypium hirsutum*; Carbon; Isotope; Potassium deficiency **39**, 131

Photosynthetic rate; Drought; ΔF/F'm; *Phillyrea latifolia*; *Pistacia lentiscus*; *Quercus ilex*; Stomatal conductance **39**, 213

Phytotrons; Controlled environment; Rhizostats; Mineral nutrition; Phosphate; Nitrogen uptake kinetics; *Juncus effusus*; *Typha latifolia* **39**, 141

Picea abies; Acid mist; Carbohydrates; Cuticular transpiration; Epicuticular waxes; Forest decline; Turgor; Water potential **39**, 57

Picea rubens; Red spruce; Forest decline; Plant anatomy; Tropospheric ozone; Acid rain **39**, 247

Pistacia lentiscus; Drought; ΔF/F'm; *Phillyrea latifolia*; Photosynthetic rate; *Quercus ilex*; Stomatal conductance **39**, 213

Plant anatomy; Red spruce; Forest decline; Tropospheric ozone; Acid rain; *Picea rubens* **39**, 247

Platanthera; *Epulorhiza*; Orchid mycorrhiza; Conservation; Symbiosis; Micropropagation; Seed germination; Orchidaceae **39**, 189

Poa annua; Allelopathy; *Buchloe dactyloides*; Growth inhibition; Phenolic acid; Seedling **39**, 159

Potassium deficiency; *Gossypium hirsutum*; Carbon; Isotope; Photosynthesis **39**, 131

Potassium; Liming; Sugar maple; Phosphorous; Roots **39**, 105

PPase; *Spinacia oleracea*; Spinach; Radioprotection; Cultured cell; γ-Radiation; ATPase; Membrane lipid; Membrane polypeptide; Tonoplast; Vacuolar membrane **39**, 97

Q_A reduction; Perennial ryegrass; Global changes; Doubled CO_2; Chlorophyll fluorescence; Quantum yield of PS II; *Lolium perenne* **39**, 85

Quantum yield of PS II; Perennial ryegrass; Global changes; Doubled CO_2; Chlorophyll fluorescence; Q_A reduction; *Lolium perenne* **39**, 85

Quercus; Elevated CO_2; Gas exchange; Natural CO_2 springs; Secondary compounds **39**, 233

Quercus ilex; Drought; ΔF/F'm; *Phillyrea latifolia*; *Pistacia lentiscus*; Photosynthetic rate; Stomatal conductance **39**, 213

γ-Radiation; *Spinacia oleracea*; Spinach; Radioprotection; Cultured cell; ATPase; PPase; Membrane lipid; Membrane polypeptide; Tonoplast; Vacuolar membrane **39**, 97

Radioprotection; *Spinacia oleracea*; Spinach; Cultured cell; γ-Radiation; ATPase; PPase; Membrane lipid; Membrane polypeptide; Tonoplast; Vacuolar membrane **39**, 97

Red spruce; Forest decline; Plant anatomy; Tropospheric ozone; Acid rain; *Picea rubens* **39**, 247

Rhizostats; Controlled environment; Phytotrons; Mineral nutrition; Phosphate; Nitrogen uptake kinetics; *Juncus effusus*; *Typha latifolia* **39**, 141

Roots; Liming; Sugar maple; Potassium; Phosphorous **39**, 105

Scrophulariaceae; Parasitic plant; *Triphysaria*; Self-incompatibility; Hybridization **39**, 77

Secondary compounds; Elevated CO_2; Gas exchange; Natural CO_2 springs; *Quercus* **39**, 233

Seed germination; *Platanthera*; *Epulorhiza*; Orchid mycorrhiza; Conservation; Symbiosis; Micropropagation; Orchidaceae **39**, 189

Seedling; Allelopathy; *Buchloe dactyloides*; Growth inhibition; Phenolic acid; *Poa annua* **39**, 159

Self-incompatibility; Parasitic plant; *Triphysaria*; Hybridization; Scrophulariaceae **39**, 77

Shoot; Copper toxicity; *Oryza sativa*; Vacuole; Acid phosphatase; NADH-cytochrome *c* reductase **39**, 197

Soil hypoxia; Soil oxygen indicators; Superoxide dismutase; Malondialdehyde; Stomatal diffusive resistance **39**, 203

Soil oxygen indicators; Soil hypoxia; Superoxide dismutase; Malondialdehyde; Stomatal diffusive resistance **39**, 203

Soybean; Assimilation; Nitrogen dioxide; Nitrate; Uptake **39**, 33

Spinach; *Spinacia oleracea*; Radioprotection; Cultured cell; γ-Radiation; ATPase; PPase; Membrane lipid; Membrane polypeptide; Tonoplast; Vacuolar membrane **39**, 97

Spinacia oleracea; Spinach; Radioprotection; Cultured cell; γ-Radiation; ATPase; PPase; Membrane lipid; Membrane polypeptide; Tonoplast; Vacuolar membrane **39**, 97

Spinacia oleracea; UV-B; Thylakoid membranes; α-Tocopherol; Lipid peroxidation; Thiobarbituric acid reactive substances **39**, 177

Stomata; CO_2 enrichment; Temperature; *Gossypium hirsutum*; Growth **39**, 117

Stomatal conductance; Drought; $\Delta F/F'm$; *Phillyrea latifolia*; *Pistacia lentiscus*; Photosynthetic rate; *Quercus ilex* **39**, 213

Stomatal diffusive resistance; Soil hypoxia; Soil oxygen indicators; Superoxide dismutase; Malondialdehyde **39**, 203

Sugar maple; Liming; Potassium; Phosphorous; Roots **39**, 105

Sulphur dioxide; Cucumber; Growth analysis **39**, 41

Sunflower; Adventitious root; In vitro culture; Helianthus annuus **39**, 271

Superoxide dismutase; Soil hypoxia; Soil oxygen indicators; Malondialdehyde; Stomatal diffusive resistance **39**, 203

Symbiosis; *Platanthera*; *Epulorhiza*; Orchid mycorrhiza; Conservation; Micropropagation; Seed germination; Orchidaceae **39**, 189

Temperature; CO_2 enrichment; *Gossypium hirsutum*; Growth; Stomata **39**, 117

Thiobarbituric acid reactive substances; *Spinacia oleracea*; UV-B; Thylakoid membranes; α-Tocopherol; Lipid peroxidation **39**, 177

Thylakoid membranes; *Spinacia oleracea*; UV-B; α-Tocopherol; Lipid peroxidation; Thiobarbituric acid reactive substances **39**, 177

Thymelaea tartonraira; Carbohydrates; *Dittrichia viscosa*; Lipids; Nitrogen **39**, 21

α-Tocopherol; *Spinacia oleracea*; UV-B; Thylakoid membranes; Lipid peroxidation; Thiobarbituric acid reactive substances **39**, 177

Tonoplast; *Spinacia oleracea*; Spinach; Radioprotection; Cultured cell; γ-Radiation; ATPase; PPase; Membrane lipid; Membrane polypeptide; Vacuolar membrane **39**, 97

Tortula ruralis; Bryophytes; Nitrite; Nitrate induction; Nitrate reductase; Desiccation **39**, 67

Tradescantia; Clastogenicity; X-rays; Formaldehyde; Micronucleus **39**, 169

Translocation; Lichen; *Parmelia conspersa*; Lobe growth; Carbohydrate **39**, 263

Triphysaria; Parasitic plant; Self-incompatibility; Hybridization; Scrophulariaceae **39**, 77

Tritiated water; Acid–alkaline phosphatase; *Hordeum vulgare*; Peptidase; *Triticum durum*; Zea mays **39**, 49

Triticum durum; Acid–alkaline phosphatase; *Hordeum vulgare*; Peptidase; Tritiated water; Zea mays **39**, 49

Tropospheric ozone; Red spruce; Forest decline; Plant anatomy; Acid rain; *Picea rubens* **39**, 247

Turgor; Acid mist; Carbohydrates; Cuticular transpiration; Epicuticular waxes; Forest decline; *Picea abies*; Water potential **39**, 57

Typha latifolia; Controlled environment; Phytotrons; Rhizostats; Mineral nutrition; Phosphate; Nitrogen uptake kinetics; *Juncus effusus* **39**, 141

Uptake; Assimilation; Nitrogen dioxide; Nitrate; Soybean **39**, 33

Urease; *Anabaena doliolum*; Alkaline phosphatase; ATPase; Copper; Lead; Nitrate reductase; Nitrogenase; Nutrient uptake; UV-B irradiation **39**, 221

UV-B irradiation; *Anabaena doliolum*; Alkaline phosphatase; ATPase; Copper; Lead; Nitrate reductase; Nitrogenase; Nutrient uptake; Urease **39**, 221

UV-B; *Spinacia oleracea*; Thylakoid membranes; α-Tocopherol; Lipid peroxidation; Thiobarbituric acid reactive substances **39**, 177

Vacuolar membrane; *Spinacia oleracea*; Spinach; Radioprotection; Cultured cell; γ-Radiation; ATPase; PPase; Membrane lipid; Membrane polypeptide; Tonoplast **39**, 97

Vacuole; Copper toxicity; *Oryza sativa*; Shoot; Acid phosphatase; NADH-cytochrome *c* reductase **39**, 197

Water potential; Acid mist; Carbohydrates; Cuticular transpiration; Epicuticular waxes; Forest decline; *Picea abies*; Turgor **39**, 57

Woody species; Osmotic adjustment; Cell wall elasticity; Hydraulic conductance; Drought acclimation; *Gutierrezia sarothrae* **39**, 11

X-rays; Clastogenicity; Formaldehyde; *Tradescantia*; Micronucleus **39**, 169

Zea mays; Acid–alkaline phosphatase; *Hordeum vulgare*; Peptidase; Tritiated water; *Triticum durum* **39**, 49